## **Author Index**

ABDOU, N.I. see SUENAGA, R.

ABER-BISHOP, A.E. see SCHUERMANN, G.M.

ADAMS, E., BRITTON, W.J., MORGAN, A., GOODSALL, A.L. & BASTEN, A. Identification of human T cell epitopes in the *Mycobacterium leprae* heat shock protein 70-kD antigen, 500

AKUFFO, H., MAASHO, K. & HOWE, R. Natural and acquired resistance to Leishmania: cellular activation by Leishmania aethiopica of mononuclear cells from unexposed individuals is through the stimulation of natural killer (NK) cells, 516

ALI, A., PATTERSON, S., CRUICKSHANK, K., RUDGE, P., DALGLEISH, A.G. & KNIGHT, S.C. Dendritic cells infected in vitro with human T cell leukaemia/lymphoma virus type-1 (HTLV-1); enhanced lymphocytic proliferation and tropical spastic paraparesis, 32

ALI, R. see ARA, J.

ALVAREZ, N. see HAGEL, I.

AMBROSE, N.S. see NICHOLS, P.H.

Anderson, C.C. see Rahimpour, R.

Apt, A.S., Avdienko, V.G., Nikonenko, B.V., Kramnik, I.B., Moroz,
A.M. & Skamene, E. Distinct H-2 complex control of mortality, and
immune responses to tuberculosis infection in virgin and BCG-

vaccinated mice, 322

ARA, J. & ALI, R. Polynucleotide specificity of anti-reactive oxygen species (ROS) DNA antibodies, 134

ARISZ, L. see BETJES, M.G.H.

ARLAUD, G. see HIDVÉGI, T.

ARNAIZ-VILLENA, A. see TIMÓN, M.

ASLANDER, M. see GROEN, H.

ATKINSON, J.P. see ENDOH, M.

AUKRUST, P. see NILSSEN, D.E.

AVDIENKO, V.G. see APT, A.S.

Bansal, A.S., Green, L.M., Khoo, S.H., Pumphrey, R.S.H., Haeney, M.R. & Mandal, B.K. HIV induces deletion of T cell receptor variable gene product-specific T cells, 17

BARNETT, D. see McIntosh, R.S.

BASTEN, A. see ADAMS, E.

BAUD, L. see CADRANEL, J.

BECKMAN, S. see DEVEY, M.E. BEELEN, R.H.J. see BETJES, M.G.H.

BERNSTEIN, R.M. see HAJEER, A.H.

BERZINS, K. see IQBAL, J.

Betjes, M.G.H., Tuk, C.W., Strujik, D.G., Krediet, R.T., Arisz, L. & Beelen, R.H.J. Antigen-presenting capacity of macrophages and dendritic cells in the peritoneal cavity of patients treated with peritoneal dialysis, 377

BIANCONE, L. see ROBERTS, A.I.

BLASINI, A.M., STEKMAN, I.L., LEON-PONTE, M., CALDERA, D. & RODRIGUEZ, M.A. Increased proportion of responders to a murine anti-CD3 monoclonal antibody of the IgG1 class in patients with systemic lupus erythematosus (SLE), 423

BOLAND, G.J., HENE, R.J., VERVERS, C., DE HAAN, M.A.M. & DE GAST, G.C. Factors influencing the occurrence of active cytomegalovirus (CMV) infections after organ transplantation, 306

BOOTSMA, H. see GROEN, H.

BORYSIEWICZ, L.K. see WANG, E.C.Y.

Bos, J.D. see TEUNISSEN, M.B.M.

BOTTAZZO, G.R. see CIAMPOLILLO, A.

BOUILLON, R. see BRANISTEANU, D.D.
BOŽIČ, B., PRUJIN, G.J.M., ROZMAN, B. & VAN VENROOJ, W.J. Sera from patients with rheumatic diseases recognize different epitope

regions on the 52-kD Ro/SS-A protein, 227

Bradbury, M.G. & Moreno, C. Effect of lipoarabinomannan and mycobacteria on tumour necrosis factor production by different populations of murine macrophages, 57

BRANDTZAEG, P. see NILSSEN, D.E.

Branisteanu, D.D., Leenaerts, P., Van Damme, B. & Bouillon, R. Partial prevention of active Heymann nephritis by  $1\alpha$ , 25 dihydroxyvitamin D<sub>3</sub>, 412

BRAUN, J. see SIMON, A.K.

BREATHNACH, S.M. see KRISTENSEN, M.

BREEDVELD, F.C. see OTTEN, H.G.

Brennan, F.M. see Kristensen, M.

BRITTON, W.J. see ADAMS, E.

BROLIN, R.E. see ROBERTS, A.I.

BROSTOFF, J. see BUNGY POOR FARD, G.A.

BROUET, J.-C. see MARIETTE, X.

Brown, D.L. see Unsworth, D.J.

BROWN, J.C. see ROMBACH, E.

BRUIJN, J.A. see DE HEER, E. BRUMMER, E. see HOSTETLER, J.S.

BRYGGE, K. see GARRED, P.

BUNGY POOR FARD, G.A., LATCHMAN, Y., RODDA, S., GEYSEN, M., ROITT, I. & BROSTOFF, J. T cell epitopes of the major fraction of rye grass *Lolium perenne* (*Lol p I*) defined using overlapping peptides *in vitro* and *in vivo*. I. Isoallergen clone 1A, 111

BURGER, E. see SINGER-VERMES, L.M.

BUZÁS, E.I., HOLLÓ, K., RUBLICZKY, L., GARZÓ, M., NYIRKOS, P. & GLANT, T.T. Effect of pregnancy on proteoglycan-induced progressive polyarthritis in BALB/c mice: remission of disease activity, 252

CADRANEL, J., PHILIPPE, C., PHILIPPE, B., MILLERON, B., FOUQUERAY, B., MAYAUD, C. & BAUD, L. Increased expression and occupancy of receptors for tumour necrosis factor on blood monocytes from tuberculosis patients, 51

CAFFAU, C. see DE PAOLI, P.

CALDEIRA, C.B. see SINGER-VERMES, L.M.

CALDERA, D. see BLASINI, A.M.

CALICH, V.L.G. see SINGER-VERMES, L.M.

CAPRON, A. see LASSALLE, P.

CARR, A., TINDALL, B., PENNY, R. & COOPER, D.A. In vitro cytotoxicity as a marker of hypersensitivity to sulphamethoxazole in patients with HIV, 21

CHAN, C.H.S. see LAI, C.K.W.

CHEN, H. see Luo, H.

CHU, C.Q. see KRISTENSEN, M.

CHUNG, S.Y. see LAI, C.K.W.
CIAMPOLILLO, A., NAPOLITANO, G., MIRAKIAN, R., MIYASAKI, A.,
GIORGINO, R. & BOTTAZZO, G.R. Intercellular adhesion molecule-1
(ICAM-1) in Graves' disease: contrast between in vivo and in vitro

results, 478 COELIN, P. see DE PAOLI, P.

COFFMAN, R.L. see HOSTETLER, J.S.

COHEN, I.R. see YAGEV, H.

COOPER, D.A. see CARR, A.

CRAXI, A. see L'ABBATE, A.

CRUICKSHANK, K. see ALI, A.

CSIPÖ, I. see GYIMESI, E.

CUTRUPI, S. see L'ABBATE, A.

DAHA, M.R. see OTTEN, H.G.

DAHA, M.R. see SEINO, J.

Dalgleish, A.G. see Ali, A

Dallegri, F. see Dapino, P. Daloze, P. see Luo, H.

D'Andrea, M. see De Paoli, P.

DANON, F. see MARIETTE, X.

DAPINO, P., DALLEGRI, F., OTTONELLO, L. & SACCHETTI, C. Induction of neutrophil respiratory burst by tumour necrosis factor-alpha: priming effect of solid-phase fibronectin and intervention of CD11b-CD18 integrins, 533 DAVIES, R. see McIntosh, R.S.

DE GAST, G.C. see BOLAND, G.J.

DE HAAN, M.A.M. see BOLAND, G.J.

DE HEER, E., BRUUN, J.A. & HOEDEMAEKER, Ph.J. Heymann nephritis revisited—new insights into the pathogenesis of experimental membranous glomerulonephritis, 393

DELNESTE, Y. see LASSALLE, P.

DE PAOLI, P., CAFFAU, C., D'ANDREA, M., COELIN, P., SIMONELLI, C., TIRELLI, U. & SANTINI, G. The expansion of CD8 lymphocytes using T cell receptor variable gene products during HIV infection, 486 DE ROOY, H.H. see OTTEN, H.G.

DEVEY, M.E., BECKMAN, S. & KEMENY, D.M. The functional affinities of antibodies of different IgG subclasses to dietary antigens in mothers and their babies, 117

DIERICH, M.P. see HIDVÉGI, T. DI PRISCO, M.C. see HAGEL, I. DOLHAIN, R.J.E.M. see OTTEN, H.G. DORÉ, C.J. see SCHUERMANN, G.M. DUBREUIL, M.-L. see MARIETTE, X.

EBERT, E.C. see ROBERTS, A.I. EEDY, D.J. see KRISTENSEN, M. EGUCHI, K. see ISHIKAWA, N. ELSON, C.J. see GHORAISHIAN, M.

ENDOH, M., YAMASHINA, M., OHI, H., FUNAHASHI, K., IKUNO, T., YASUGI, T., ATKINSON, J.P. & OKADA, H. Immunohistochemical demonstration of membrane cofactor protein (MCP) of complement in normal and diseased kidney tissues, 182

EVELEIGH, PH. see SEINO, J.

FABIANO, C. see L'ABBATE, A. FACER, P. see SCHUERMANN, G.M. FARMILOE, S.J. see GEURSEN, A.

FAUSA, O. see NILSSEN, D.E.

FAVA, R.A., GATES, C. & TOWNES, A.S. Critical role of peripheral blood phagocytes and the involvement of complement in tumour necrosis factor enhancement of passive collagen-arthritis, 261

FELDMANN, M. see KRISTENSEN, M. FISHER, J. see WANG, E.C.Y. FLEISCHER, B. see SCHLAAK, J.F. FOUQUERAY, B. see CADRANEL, J. FRASER, J.D. see GEURSEN, A.

Frenkel, A. see Yagev, H.
Freysdottir, J., Ormarsdottir, S. & Sigfusson, A. Evaluation of in vivo immune complex formation and complement activation in patients receiving intravenous Streptokinase, 286

FRIEDMAN, A. see YAGEV, H. FRØLAND, S.S. see NILSSEN, D.E. FUNAHASHI, K. see ENDOH, M. FÜST, G. see HIDVÉGI, T.

GAGRO, A. see RABATIĆ, S. GALLATI, H. see SCHLAAK, J.F.

GARRED, P., BRYGGE, K., SØRENSEN, C.H., MADSEN, H.O., THIEL, S. & SVEJGAARD, A. Mannan-binding protein—levels in plasma and upper-airways secretions and frequency of genotypes in children with recurrence of otitis media, 99

GARZÓ, M. see BUZÁS, E.I. GATES, C. see FAVA, R.A. GESHI, Y. see YAMAMOTO, T.

Geursen, A., Skinner, M.A., Townsend, L.A., Perko, L.K., Farmiloe, S.J., Peake, J.S., Simpson, I.J., Fraser, J.D. & Tan, P.L.J. Population study of T cell receptor  $V\beta$  gene usage in peripheral blood lymphocytes: differences in ethnic groups, 201

GEYSEN, M. see BUNGY POOR FARD, G.A.

GHORAISHIAN, M., ELSON, C.J. & THOMPSON, S.J. Comparison between the protective effects of mycobacterial 65-kD heat shock protein and ovomucoid in pristane-induced arthritis: relationship with agalactosyl IgG, 247

GIORGINO, R. see CIAMPOLILLO, A. GLANT, T.T. see BUZÁS, E.I. GOODSALL, A.L. see ADAMS, E. GOSSET, P. see LASSALLE, P.

GREEN, L.M. see BANSAL, A.S.

GREENWOOD, B.M. see IQBAL, J.

GROEN, H., ASLANDER, M., BOOTSMA, H., VAN DER MARK, TH.W., KALLENBERG, C.G.M. & POSTMA, D.S. Bronchoalveolar lavage cell analysis and lung function impairment in patients with systemic lupus erythematosus (SLE), 127

GYIMESI, E., KÁVAI, M., KISS, E., CSIPÖ, I., SZÜCS, G. & SZEGEDI, GY. Triggering of respiratory burst by phagocytosis in monocytes of patients with systemic lupus erythematosus, 140

HACK, C.E. see NJOO, F.L.

HADJIPETROU-KOUROUNAKIS, L. see YIANGOU, M.

HAENEY, M.R. see BANSAL, A.S.

HAGEL, I., LYNCH, N.R., DI PRISCO, M.C., ROJAS, E., PÉREZ, M. & ALVAREZ, N. Ascaris reinfection of slum children: relation with the IgE response, 80

HAJEER, Å.H. & BERNSTEIN, R.M. Antibody to mycobacterial 65-kD heat shock protein in commercial antisera, 544

HÄLLGREN, R. see MOCHIZUKI, S. HALSTENSEN, T.S. see NILSSEN, D.E. HAMMARSTRÖM, L. see MOCHIZUKI, S.

HAMMARSTROM, L. see MOCHIZUKI, S HAMMARSTRÖM, L. see OLSSON, P.G.

HAMPL, H. see HIDVÉGI, T. HASKARD, D.O. see LAI, C.K.W.

HAYNES, A.R. see WANGOO, A. HENE, R.J. see BOLAND, G.J.

HERMUS, A.R.M.M. see LANGERIJT, A.G.M. VAN DE

HIDVÉGI, T., PROHÁSZKA, Z., UJHELYI, E., THIELENS, N.M., DIERICH, M.P., HAMPL, H., ARLAUD, G., NAGY, K. & FÜST, G. Studies on the mechanism of complement-mediated inhibition of antibody binding to HIV gp41, 490

Ho, S.S. see LAI, C.K.W.

HOEDEMAEKER, Ph.J. see DE HEER, E.

HOLDER, A.A. see RILEY, E.M. HOLLÓ, K. see BUZÁS, E.I.

HOLMDAHL, R. see JANSSON, L.

HOSTETLER, J.S., BRUMMER, E., COFFMAN, R.L. & STEVENS, D.A. Effect of anti-IL-4, interferon-gamma and an antifungal triazole (SCH 42427) in paracoccidioidomycosis: correlation of IgE levels with outcome, 11

Howe, R. see Akuffo, H. Husby, G. see Stenstad, T.

ІСНІЈО, M. see SAITO, S. IKUNO, T. see ENDOH, M.

INOUE, Y. see KITANO, A. INTRATOR, L. see MARIETTE, X.

IQBAL, J., PERLMANN, P., GREENWOOD, B.M. & BERZINS, K. Seroreactivity with the *Plasmodium falciparum* blood stage antigen Pf332 in adults and children from malaria-endemic regions, 68

ISAYAMA, T. see SHINGU, M. ISHII, K. see KAKIMOTO, K.

ISHIKAWA, N., EGUCHI, K., UEKI, Y., NAKASHIMA, M., SHIMADA, H., ITO, K. & NAGATAKI, S. Expression of adhesion molecules on infiltrating T cells in thyroid glands from patients with Graves' disease, 363

ISHIZAKA, S. see SAITO, S. ITO, K. see ISHIKAWA, N.

170, M. S. S. Isingara, N. B.P. Variation in interferon-gamma responses to Coxiella burnetii antigens with lymphocytes from vaccinated or naturally infected subjects, 507

JANSSON, L. & HOLMDAHL, R. Genes on the X chromosome affect development of collagen-induced arthritis in mice, 459

JOSEPH, M. see LASSALLE, P.

KAKIMOTO, K., KOJIMA, Y., ISHII, K., ONOUE, K. & MAEDA, H. The suppressive effect of gelatin-conjugated superoxide dismutase on disease development and severity of collagen-induced arthritis in mice, 241

KALLENBERG, C.G.M. see GROEN, H. KALTWASSER, J.P. see KIRSCHFINK, M.

KANEOKA, H. see YAMASHITA, N. KASINATH, B.S. see SINGH, A.K.

KÁVAI, M. see GYIMESI, E.

KEMENY, D.M. see DEVEY, M.E.

KENNEDY, D.M., SKILLEN, A.W. & SELF, C.H. Glycation increases the vascular clearance rate of IgG in mice, 447

KHIRWADKAR, K. see KIRSCHFINK, M.

KHOO, S.H. see BANSAL, A.S.

KIJLSTRA, A. see NJOO, F.L.

KIRSCHFINK, M., PETRY, F., KHIRWADKAR, K., WIGAND, R., KALT-WASSER, J.P. & Loos, M. Complete functional Clq deficiency associated with systemic lupus erythematosus (SLE), 267

KISS, E. see GYIMESI, E.

KITAMURA, H. see KITANO, E.

KITANO, A., MATSUMOTO, T., NAKAMURA, S., OSHITANI, N., OBATA, A., OKAWA, K., INOUE, Y., KOBAYASHI, K. & NAKURA, H. Multifunctional effects of anticomplementary agent K-76 on carrogeenaninduced colitis in the rabbit, 348

KITANO, E. & KITAMURA, H. Synthesis of the third component of complement (C3) by human gastric cancer-derived cell lines, 273

KNIGHT, S.C. see ALI, A.

KOBAYASHI, K. see KITANO, A.

KOBAYASHI, T. see YAMAMOTO, T.

KOJIMA, Y. see KAKIMOTO, K. KONIDARIS, C. see YIANGOU, M.

KRAMNIK, I.B. see APT, A.S.

KREDIET, R.T. see BETJES, M.G.H.

KRISTENSEN, M., CHU, C.Q., EEDY, D.J., FELDMANN, M., BRENNAN, F.M. & Breathnach, S.M. Localization of tumour necrosis factoralpha (TNF-α) and its receptors in normal and psoriatic skin: epidermal cells express the 55-kD but not the 75-kD TNF receptor,

L'ABBATE, A., CUTRUPI, S., ROGNETTA, M., FABIANO, C. & CRAXI, A. IgM and IgG antibodies to hepatitis C virus in patients with mixed cryoglobulinaemia, 313

LACHMANN, P.J. see UNSWORTH, D.J.

LAI, C.K.W., WONG, K.C., CHAN, C.H.S., Ho, S.S., CHUNG, S.Y., HASKARD, D.O. & LAI, K.N. Circulating adhesion molecules in tuberculosis, 522

LAI, K.N. see LAI, C.K.W.

LANGERIJT, A.G.M. VAN DE, VAN LENT, P.L.E.M., HERMUS, A.R. M.M., VAN DE PUTTE, L.B.A. & VAN DEN BERG, W.B. Regulation of resistance against adjuvant arthritis in the Fisher rat, 150

LASSALLE, P., GOSSET, P., DELNESTE, Y., TSICOPOULOS, A., CAPRON, A., JOSEPH, M. & TONNEL, A.B. Modulation of adhesion molecule expression on endothelial cells during the late asthmatic reaction: role of macrophage-derived tumour necrosis factor-alpha, 105

LATCHMAN, Y. see BUNGY POOR FARD, G.A.

LEE, J.C. see SCHUERMANN, G.M.

LEENAERTS, P. see Branisteanu, D.D. LEON-PONTE, M. see Blasini, A.M.

LEVY, Y. see MARIETTE, X. LITTLER, W.A. see LYNCH, M.

LLOYD, C.M., WOZENCRAFT, A.O. & WILLIAMS, D.G. Cell-mediated pathology during murine malaria-associated nephritis, 398

LÖHR, H. see SCHLAAK, J.F.

LOHSE, A.W. & MEYER ZUM BÜSCHENFELDE, K.-H. Remission of experimental autoimmune hepatitis is associated with antigen-specific and non-specific immunosuppression, 163

Loos, M. see Kirschfink, M.

Lu, J., Willis, A.C. & Sim, R.B. A calreticulin-like protein co-purifies with a '60 kD' component of Ro/SSA, but is not recognized by antibodies in Sjögren's syndrome sera, 429

Luo, H., Chen, H., Daloze, P., St-Louis, G. & Wu, J. Anti-CD28 antibody- and IL-4-induced human T cell proliferation is sensitive to rapamycin, 371

LYNCH, M., PENTECOST, B.L., LITTLER, W.A. & STOCKLEY, R.A. Why do patients develop reactions to streptokinase?, 279

LYNCH, N.R. see HAGEL, I.

Maasho, K. see Akuffo, H. MACDERMOTT, R.P. see REINECKER, H.-C. MADSEN, H.O. see GARRED, P.

MAEDA, H. see KAKIMOTO, K.

MAGNUS, J.H. see STENSTAD, T.

MANDAL, B.K. see BANSAL, A.S.

MARIETTE, X., LEVY, Y., DUBREUIL, M.-L., INTRATOR, L., DANON, F. & BROUET, J.-C. Characterization of a human monoclonal autoantibody directed to cardiolipin/\(\beta\_2\) glycoprotein I produced by chronic lymphocytic leukaemia B cells, 385

MARMION, B.P. see IZZO, A.A.

MATSUMOTO, T. see KITANO, A MAYAUD, C. see CADRANEL, J.

MAYET, W.-J. & MEYER ZUM BÜSCHENFELDE, K.-H. Antibodies to proteinase 3 increase adhesion of neutrophils to human endothelial

McIntosh, R.S., Tandon, N., Pickerill, A.P., Davies, R., Barnett, D. & Weetman, A.P. The  $\gamma\delta$  T cell repertoire in Graves' disease and multinodular goitre, 473

MEDAR-LASIĆ, M. see RABATIĆ, S.

MEYER ZUM BÜSCHENFELDE, K.-H. see LOHSE, A.W.

MEYER ZUM BÜSCHENFELDE, K.-H. see MAYET, W.-J.

MEYER ZUM BÜSCHENFELDE, K.-H. see SCHLAAK, J.F.

MILLERON, B. see CADRANEL, J.

MIRAKIAN, R. see CIAMPOLILLO, A.

MIYASAKI, A. see CIAMPOLILLO, A.

MIZUSHIMA, Y. see YAMASHITA, N.

MOCHIZUKI, S., SMITH, C.I.E., HÄLLGREN, R. & HAMMARSTRÖM, L. Systemic immunization against IgA in immunoglobulin deficiency,

MORENO, C. see BRADBURY, M.G.

MORGAN, A. see ADAMS, E.

MORI, H. see YAMAMOTO, T.

Moroz, A.M. see Apt, A.S.

MORRIS-JONES, S. see RILEY, E.M. MÜLLER, F. see NILSSEN, D.E.

MUTHUKKARUPPAN, VR. see NANDAKUMAR, K.S.

NAGAI, Y. see SHINGU, M.

NAGATAKI, S. see ISHIKAWA, N.

NAGY, K. see HIDVÉGI, T.

NAKAJIMA, T. see YAMASHITA, N.

NAKAMURA, S. see KITANO, A.

NAKASHIMA, M. see ISHIKAWA, N.

NAKURA, H. see KITANO, A.

NANDAKUMAR, K.S., PALANIVEL, V. & MUTHUKKARUPPAN, VR. Diagnosis of typhoid fever: detection of Salmonella typhi porins-specific antibodies by inhibition ELISA, 317

NAONO, T. see SHINGU, M.

NAPOLITANO, G. see CIAMPOLILLO, A.

NICHOLS, P.H., RAMSDEN, C.W., WARD, U., TREJDOSIEWICZ, L.K., AMBROSE, N.S. & PRIMROSE, J.N. Peri-operative modulation of cellular immunity in patients with colorectal cancer, 4

NIKONENKO, B.V. see APT, A.S.

NILSSEN, D.E., AUKRUST, P., FRØLAND, S.S., MÜLLER, F., FAUSA, O., HALSTENSEN, T.S. & BRANDTZAEG, P. Duodenal intraepithelial γ/δ T cells and soluble CD8, neopterin, and  $\beta_2$ -microglobulin in serum of IgA-deficient subjects with or without IgG subclass deficiency, 91

NJOO, F.L., HACK, C.E., OOSTING, J., STILMA, J.S. & KIJLSTRA, A. Neutrophil activation in ivermectin-treated onchocerciasis patients,

NOBUNAGA, M. see SHINGU, M.

NYIRKOS, P. see Buzás, E.I.

OBATA, A. see KITANO, A.

O'CONNELL, S.M. see ROBERTS, A.I.

Оні, Н. see Endon, М.

OKADA, H. see ENDOH, M.

OKAWA, K. see KITANO, A.

OKINAGA, S. see YAMAMOTO, T.

OLSSON, P.G., RABBANI, H., HAMMARSTRÖM, L. & SMITH, C.I.E. Novel human immunoglobulin heavy chain constant region gene deletion haplotypes characterized by pulsed-field electrophoresis, 84

ONOUE, K. see KAKIMOTO, K.

OOSTING, J. see NJOO, F.L.

ORMARSDOTTIR, S. see FREYSDOTTIR, J.

OSHITANI, N. see KITANO, A.

OTTEN, H.G., DAHA, M.R., DOLHAIN, R.J.E.M., DE ROOY, H.H. & BREEDVELD, F.C. Rheumatoid factor production by mononuclear

- cells derived from different sites of patients with rheumatoid arthritis, 236
- OTTONELLO, L. see DAPINO, P.
- PACHECO, A. see TIMÓN, M.
- PALANIVEL, V. see NANDAKUMAR, K.S.
- PATTERSON, S. see ALI, A.
- PEAKE, J.S. see GEURSEN, A.
- PENNY, R. see CARR, A. PENTECOST, B.L. see LYNCH, M.
- PERERA, P. see WANG, E.C.Y.
- PÉREZ, M. see HAGEL, I.
- PERKO, L.K. see GEURSEN, A.
- PERLMANN, P. see IQBAL, J.
- PETRY, F. see KIRSCHFINK, M.
- PFLUEGER, I. see REINECKER, H.-C. PHILIPPE, B. see CADRANEL, J.
- PHILIPPE, C. see CADRANEL, J.
- PICKERILL, A.P. see McIntosh, R.S.
- PLOTNICKY, H. & TOURAINE, J.-L. Recognition of Epstein-Barr virus (EBV)-infected cells by T cell colonies from a human chimera: restriction by allogeneic determinants, 494
- POLAK, J.M. see SCHUERMANN, G.M.
- POSTMA, D.S. see GROEN, H.
- PRIMROSE, J.N. see NICHOLS, P.H.
- PROHÁSZKA, Z. see HIDVÉGI, T.
- PRUIJN, G.J.M. see Božič, B.
- PUMPHREY, R.S.H. see BANSAL, A.S.
- RABATIĆ, S., GAGRO, A. & MEDAR-LASIĆ, M. CD21-CD23 ligand pair expression in children with allergic asthma, 337
- RABBANI, H. see OLSSON, P.G.
- RAEDLER, A. see REINECKER, H.-C
- RAHIMPOUR, R., ANDERSON, C.C. & SINCLAIR, N.R. STC. Blockade of immunoregulatory Fc-signalling by HIV peptides: oligopeptides from HIV gp120 and gp41 bind the Fc portion of IgG and increase the in vitro anti-ssDNA response, 26
- RAMOS-AMADOR, J.T. see TIMÓN, M.
- RAMPTON, D.S. see SCHUERMANN, G.M.
- RAMSDEN, C.W. see NICHOLS, P.H.
- REGUEIRO, J.R. see TIMÓN, M.
- REINECKER, H.-C., STEFFEN, M., WITTHOEFT, T., PFLUEGER, I., SCHREIBER, S., MACDERMOTT, R.P. & RAEDLER, A. Enhanced secretion of tumour necrosis factor-alpha, IL-6, and IL-1β by isolated lamina propria mononuclear cells from patients with ulcerative colitis and Crohn's disease. 174
- RILEY, E.M., MORRIS-JONES, S., TAYLOR-ROBINSON, A.W. & HOLDER, A.A. Lymphoproliferative responses to a merozoite surface antigen of *Plasmodium falciparum*: preliminary evidence for seasonal activation of CD8+/HLA-DQ-restricted suppressor cells, 64
- ROBERTS, A.I., O'CONNELL, S.M., BIANCONE, L., BROLIN, R.E. & EBERT, E.C. Spontane by systoxicity of intestinal intraepithelial lympho-
- cytes: clues to the mechanism, 527
- RODDA, S. see BUNGY POOR FARD, G.A.
- RODRIGUEZ, M.A. see BLASINI, A.M.
- ROGNETTA, M. see L'ABBATE, A. ROITT, I. see BUNGY POOR FARD, G.A.
- ROJAS, E. see HAGEL, I.
- ROMBACH, E., STETLER, D.A. & BROWN, J.C. Induction of an anti-Fab, anti-DNA and anti-RNA polymerase I autoantibody response network in rabbits immunized with SLE anti-DNA antibody, 466
- ROZMAN, B. see BOŽIČ, B.
- RUBLICZKY, L. see Buzás, E.I.
- RUDGE, P. see ALI, A.
- RUIZ-CONTRERAS, J. see TIMÓN, M.
- SACCHETTI, C. see DAPINO, P.
- SAITO, S., YOSHIDA, M., ICHIJO, M., ISHIZAKA, S. & TSUJII, T. Transforming growth factor-beta (TGF-β) in human milk, 220
- SAKANE, T. see YAMASHITA, N.
- SANTINI, G. see DE PAOLI, P.
- SASAMORI, Y. see YAMAMOTO, T.
- SCHLAAK, J.F., LÖHR, H., GALLATI, H., MEYER ZUM BÜSCHENFELDE,

- K.-H. & Fleischer, B. Analysis of the *invitro* cytokine production by liver-infiltrating T cells of patients with autoimmune hepatitis, 168
- SCHREIBER, S. see REINECKER, H.-C
- SCHUERMANN, G.M., ABER-BISHOP, A.E., FACER, P., LEE, J.C., RAMP-TON, D.S., DORÉ, C.J. & POLAK, J.M. Altered expression of cell adhesion molecules in uninvolved gut in inflammatory bowel disease, 341
- Seino, J., Eveleigh, Ph., Warnaar, S., Van Haarlen, L.J.M., Van Es, L.A. & Daha, M.R. Activation of human complement by mouse and mouse/human chimeric monoclonal antibodies, 291
- SEIPELT, E. see SIMON, A.K.
- SELF, C.H. see KENNEDY, D.M.
- SHAW, R.J. see WANGOO, A.
- SHIMADA, H. see ISHIKAWA, N.
  SHINGU M. NAGAL Y. ISAYAMA, T.
- SHINGU, M., NAGAI, Y., ISAYAMA, T., NAONO, T., NOBUNAGA, M. & NAGAI, Y. The effects of cytokines on metalloproteinase inhibitors (TIMP) and collagenase production by human chondrocytes and TIMP production by synovial cells and endothelial cells, 145
- SIEPER, J. see SIMON, A.K.
  SIERAKOWSKA, H., WILLIAMS, K.R., SZER, I.S. & SZER, W. The putative oncoprotein DEK, part of a chimera protein associated with acute myeloid leukaemia, is an autoantigen in juvenile rheumatoid arthritis,
- SIGFUSSON, A. see FREYSDOTTIR, J.
- SIM, R.B. see LU, J.
- SIMON, A.K., SEIPELT, E., Wu, P., WENZEL, B., BRAUN, J. & SIEPER, J. Analysis of cytokine profiles in synovial T cell clones from chlamydial reactive arthritis patients: predominance of the Th1 subset, 122
- SIMONELLI, C. see DE PAOLI, P.
- SIMPSON, I.J. see GEURSEN, A.
- SINCLAIR, N.R. STC. see RAHIMPOUR, R.
- SINGER-VERMES, L.M., CALDEIRA, C.B., BURGER, E. & CALICH, V.L.G. Experimental murine paracoccidioidomycosis: relationship among the dissemination of the infection, humoral and cellular immune responses, 75
- SINGH, A.K. & KASINATH, B.S. Metabolic fate of monovalent and multivalent antibodies of Heymann nephritis following formation of surface immune complexes of glomerular epithelial cells, 403
- SKAMENE, E. see APT, A.S.
- SKILLEN, A.W. see KENNEDY, D.M.
- SKINNER, M.A. see GEURSEN, A. SMITH, C.I.E. see MOCHIZUKI, S.
- SMITH, C.I.E. see OLSSON, P.G.
- SØRENSEN, C.H. see GARRED, P.
- STEFFEN, M. see REINECKER, H.-C. STEKMAN, I.L. see BLASINI, A.M.
- STENSTAD, T., MAGNUS, J.H., SYSE, K. & HUSBY, G. On the association between amyloid fibrils and glycosaminoglycans; possible interactive role of Ca<sup>2+</sup> and amyloid P-component, 189
- STETLER, D.A. see ROMBACH, E.
- STEVENS, D.A. see HOSTETLER, J.S.
- STILMA, J.S. see NJOO, F.L.
- ST-Louis, G. see Luo, H.
- STOCKLEY, R.A. see LYNCH, M.
- STRUIJK, D.G. see BETJES, M.G.H.
- SUENAGA, R. & ABDOU, N.I. Cationic and high affinity serum IgG antidsDNA antibodies in active lupus nephritis, 418
- SVEJGAARD, A. see GARRED, P.
- SYLVIA-STEENLAND, R.M.R. see TEUNISSEN, M.B.M.
- Syse, K. see Stenstad, T.
- SZEGEDI, GY. see GYIMESI, E.
- SZER, I.S. see SIERAKOWSKA, H.
- SZER, W. see SIERAKOWSKA, H.
- Szücs, G. see Gyimesi, E.
- TAKAHASHI, H. see YAMASHITA, N.
- TAN, P.L.J. see GEURSEN, A.
- TANDON, N. see McIntosh, R.S. TAYLOR, I.K. see Wangoo, A.
- TAYLOR-ROBINSON, A.W. see RILEY, E.M.
- TAYLOR-KOBINSON, A.W. SEE KILLEY, E.N.
  TAYLOR-WIEDEMAN, J. SEE WANG, E.C.Y
- Teunissen, M.B.M., Sylvia-Steenland, R.M.R. & Bos, J.D. Effect of low-dose ultraviolet-B radiation on the function of human T lymphocytes *in vitro*, 208

- THIEL, S. see GARRED, P.
- THIELENS, N.M. see HIDVÉGI, T.
- THOMPSON, S.J. see GHORAISHIAN, M.
- TIMÓN, M., ARNAIZ-VILLENA, A., RUIZ-CONTRERAS, J., RAMOS-AMA-DOR, J.T., PACHECO, A. & REGUEIRO, J.R. Selective impairment of T lymphocyte activation through the T cell receptor/CD3 complex after cytomegalovirus infection, 38
- TINDALL, B. see CARR, A.
- TIRELLI, U. see DE PAOLI, P.
- TONNEL, A.B. see LASSALLE, P.
- TOURAINE, J.-L. see PLOTNICKY, H.
- Townes, A.S. see FAVA, R.A.
- TOWNSEND, L.A. see GEURSEN, A.
- TREJDOSIEWICZ, L.K. see NICHOLS, P.H.
- Trejdosiewicz, L.K. What is the role of human intestinal intraepithelial lymphocytes?, 395
- TSICOPOULOS, A. see LASSALLE, P.
- TSUJII, T. see SAITO, S.
- TUK, C.W. see BETJES, M.G.H.
- UEKI, Y. see ISHIKAWA, N.
- UJHELYI, E. see HIDVÉGI, T.
- UNSWORTH, D.J., WÜRZNER, R., BROWN, D.L. & LACHMANN, P.J. Extracts of wheat gluten activate complement via the alternative pathway, 539
- VAN DAMME, B. see BRANISTEANU, D.D.
- VAN DEN BERG, W.B. see LANGERIJT, A.G.M. VAN DE
- VAN DE PUTTE, L.B.A. see LANGERIJT, A.G.M. VAN DE
- VAN DER MARK, TH.W. see GROEN, H.
- VAN ES, L.A. see SEINO, J.
- VAN ES, L.A. see SEINO, J. VAN HAARLEM, L.J.M. see SEINO, J.
- VAN LENT, P.L.E.M. see LANGERIJT, A.G.M. VAN DE
- VAN VENROOIJ, W.J. see Božič, B.
- VENABLES, P.J.W. Epitope mapping of ribonucleoprotein antigens: answers without questions?, 225
- VERVERS, C. see BOLAND, G.J.
- VICTORATOS, P. see YIANGOU, M.
- WANG, E.C.Y., TAYLOR-WIEDEMAN, J., PERERA, P., FISHER, J. & BORYSIEWICZ, L.K. Subsets of CD8+, CD57+ cells in normal, healthy

- individuals: correlations with human cytomegalovirus (HCMV) carrier status, phenotypic and functional analyses, 297
- WANGOO, A., TAYLOR, İ.K., HAYNES, A.R. & SHAW, R.J. Up-regulation of alveolar macrophage platelet-derived growth factor-B (PDGF-B) mRNA by interferon-gamma from Mycobacterium tuberculosis antigen (PPD)-stimulated lymphocytes, 43
- WARD, U. see NICHOLS, P.H.
- WARNAAR, S. see SEINO, J.
- WEETMAN, A.P. see McIntosh, R.S.
- WENZEL, B. see SIMON, A.K.
- WHO-IUIS NOMENCLATURE SUB-COMMITTEE, Nomenclature for T cell receptor (TCR) gene segments of the immune system, 391
- WIGAND, R. see KIRSCHFINK, M.
- WILLIAMS, D.G. see LLOYD, C.M.
- WILLIAMS, K.R. see SIERAKOWSKA, H.
- WILLIS, A.C. see Lu, J.
- WITTHOEFT, T. see REINECKER, H.-C.
- WONG, K.C. see LAI, C.K.W
- WOZENCRAFT, A.O. see LLOYD, C.M.
- Wu, J. see Luo, H.
- Wu, P. see Simon, A.K.
- WÜRZNER, R. see UNSWORTH, D.J.
- YAGEV, H., FRENKEL, A., COHEN, I.R. & FRIEDMAN, A. Adjuvant arthritis is associated with changes in the glycosylation of serum IgG1 and IgG7b, 452
- YAMAMOTO, T., YOSHIMURA, S., GESHI, Y., SASAMORI, Y., OKINAGA, S., KOBAYASHI, T. & MORI, H. Measurement of antiphospholipid antibody by ELISA using purified  $\beta_2$ -glycoprotein I in preeclampsia,
- YAMASHINA, M. see ENDOH, M.
- YAMASHITA, N., NAKAJIMA, T., TAKAHASHI, H., KANEOKA, H., MIZU-SHIMA, Y. & SAKANE, T. Effects of activin A on IgE synthesis and cytokine production by human peripheral mononuclear cells, 214
- YASUGI, T. see ENDOH, M.
- YIANGOU, M., KONIDARIS, C., VICTORATOS, P. & HADJIPETROU-KOUROUNAKIS, L. Modulation of α<sub>1</sub>-acid glycoprotein (AGP) gene induction following honey bee venom administration to adjuvant arthritic (AA) rats; possible role of AGP on AA development, 156
- YOSHIDA, M. see SAITO, S.
- YOSHIMURA, S. see YAMAMOTO, T.

## Subject Index

45-kD antigen, 435 a1-acid glycoprotein, 156 activation, 38 activin A, 214 adhesion, 440 adhesion molecule, 363 adhesion molecules, 478, 522 adjuvant arthritis, 150, 156, 452 adoptive transfer, 150 adverse reactions, 330 agalactosyl IgG, 247, 452 AIDS, 26 albumin, 544 allergic children, 337 allorestricted T lymphocytes, 494 alternative complement pathway, 539 alveolar macrophage, 43 alveolar macrophages, 105 amyloid, 189 ANCA, 440 anergy, 38 anthelmint treatment, 80 anti-DNA, 418, 466 antibodies, 134 anti-Fab, 466 anti-RNA polymerase I, 466 anti-ssDNA responses, 26 antibodies, 68, 279 antibody, 544 binding, 490 response, 75 antibody-dependent cell-mediated cytotoxicity, 527 anticardiolipin/β2 glycoprotein I monoclonal antibody, 385 anticomplement, 348 antigen presentation, 377 antigenic specificity, 134 antiphospholipid antibody, 196 arthritis, 252 Ascaris, 80 autoantibodies, 134, 227, 252, 334 autoimmune hepatitis, 168 autoimmune liver disease, 163 autoimmune nephropathy, 412 autoimmune serum, 429 autologous mixed leucocyte reaction, 32 β<sub>2</sub>-glycoprotein I, 196  $\beta_2$ -microglobulin, 91 B chronic lymphocytic leukaemia, 385 BCG, 322 bone marrow, 236 bronchoalveolar lavage, 127 Clq, 267 Ca<sup>2+</sup>, 189 calreticulin, 429 carrageenan-induced colitis, 348 casein, 117 cationic, 418 CD21, 337 CD23, 337 CD28, 371 CD3 activation, 423

CD4<sup>+</sup> memory cells, 363 CD4<sup>+</sup> naive cells, 363

CD57+ cells, 297

CD8, 486

CD8+, 297 chondrocytes, 145 coeliac disease, 539 collagen-induced arthritis, 241, 261 collagenase, 145 colon cancer, 527 colorectal cancer, 4 complement, 99, 182, 261, 286, 490 activation, 279, 286, 291 complement deficiency, 267 complement receptor 3, 140 complement synthesis, 273 corticosterone, 150 Crohn's disease, 174, 341 cryoglobulins, 313 cyclophosphamide, 150 cyclosporin, 150 cytokine production, 208 cytokines, 156 cytomegalovirus, 38, 306

delayed type hypersensitivity, 111 dendritic cells, 32, 377 diabetes mellitus, 447 disease, 38 DTH reactions, 75

E-selectin, 522 ELAM-1, 105 elastase, 330 endothelial cells, 440 endothelium, 105 epithelial cell, 403 epitope, 500 epitope mapping, 227 Epstein-Barr virus, 494 experimental animal model, 252 experimental autoimmune hepatitis, 163 external secretions, 99

Fc gamma receptors, 140, 527 Fc portion, 26 Fc receptors, 423 Fc-signalling, 26 fetal growth, 196 fetal liver transplantation, 494 flow cytometry, 17, 297 functional affinity, 117 fungal dissemination, 75 fungal immunology, 11

γδ T cell receptors, 473 gastric cancer-derived cell lines, 273 gene deletion, 84 gene usage, 201 genotypes, 99 glomerulonephritis, 182 glomerulus, 403 glutathione, 21 gluten, 539 glycation, 447 glycosaminoglycans, 189 gp41, 490 Graves' disease, 363, 473, 478

H-2 loci alleles, 322 HAM, 32 hay fever, 111 heat shock protein, 500 heat shock proteins, 247 helminthic infection, 80 hepatitis C virus, 313 Heymann nephritis, 403, 412 high affinity, 418 HIV, 17, 21, 490 HIV-1, 486 HIV peptides, 26 HLA-DQ, 64 homologous recombination, 84 honey bee venom, 156 HTLV-1, 32 human cytomegalovirus, 297 human milk, 220 hydroxyl radical, 134 hypersensitivity, 21

ICAM-1, 105, 341, 522 IgA deficiency, 91, 334 IgE, 11, 80 IgE regulation, 337 IgE synthesis, 214 IgG, 447 IgG subclasses, 117 IgG1, 452 IgG2b, 452 IgM, 313 IL-1, 174 IL-2, 4 IL-4, 11, 168, 371 IL-6, 145, 174 IL-6 production, 214 immune complexes, 286, 403 immunodeficiency, 99 immunoglobulin binding, 423 immunoglobulin genes, 84 immunoglobulins, 99 immunohistochemistry, 348 immunopathology, 398 immunoregulation, 64, 163 immunosuppression, 412 immunotherapy, 11 inhibition ELISA, 317 integrins, 533 intercellular adhesion molecule-1, 478 interferon-alpha, 4 interferon-gamma, 11, 43, 168, 507 intestinal mucosa, 91 intraepithelial lymphocytes, 91, 527 iodination, 447 ivermectin, 330

juvenile rheumatoid arthritis, 435

## kidney, 398

lactoferrin, 544 lamina propria lymphocytes, 527 lamina propria mononuclear cells, 174 late asthmatic reaction, 105 lectins, 99 Leishmania, 516 Leishmania aethiopica, 516 LFA-1, 341 lipoarabinomannan, 57 lipopolysaccharide immunomodulation, 507 liver-infiltrating T cells, 168 local synthesis of C3, 273 lung function, 127 lupus nephritis, 418 lymphokine-activated killer cells, 4 lymphocyte phenotypes, 127

macrophage, 57 macrophages, 377 malaria, 64, 68, 398 mannan, 99 mannose, 99 mannose-binding protein, 99 membrane cofactor protein, 182 metalloproteinase inhibitors, 145 MHC molecules, 478 monoclonal antibodies, 291 monocyte function, 423 monocytes, 51, 140, 214 mucosal immunity, 334 multinodular goitre, 473 murine model, 75 mycobacteria, 57 Mycobacterial hsp65, 544 Mycobacterium leprae, 500 mycoses, 11

natural immunity, 516 natural killer activity, 527 natural killer cells, 4, 516 neopterin, 91 nephritis, 398 neutrophil activation, 330 neutrophils, 261, 533 NK cells, 297 nucleotide sequence, 385

onchocerciasis, 330 organ transplantation, 306 otitis media, 99 ovalbumin, 117 ovomucoid, 247

paracoccidioidomycosis, 11, 75 passive immunization, 261 PECAM-1, 341 peptide, 500 peri-operative immunotherapy, 4 peritoneal dialysis, 377 Pf155/RESA, 68 Pf332, 68 PfMSP1, 64 phenotype, 208 platelet-derived growth factor-B, 43 polyclonal stimulation, 80 Polynesian, 201 polynucleotides, 134 porins, 317 preeclampsia, 196 pregnancy, 196, 252 pristane-induced arthritis, 247 proliferation, 208 proteinase 3, 440 proteinuria, 182 proteoglycan, 252 proteoglycans, 189 psoriasis, 354 purification, 429 putative oncoprotein DEK, 435

## Q fever, 507

rabbit, 348
rapamycin, 371
reactions, 279
reactive arthritis, 126
reactive oxygen species, 134
reinfection, 80
rheumatoid arthritis, 236, 452
rheumatoid factor, 236
risk factors, 306

- Ro ribonucleoproteins, 227 Ro/SSA, 429 RT/PCR, 220 rye grass *Lolium perenne*, 111
- serum amyloid P-component, 189
  sesquiterpene, 348
  Sjögren's syndrome, 227
  skin, 354
  SLE, 466
  soluble CD8, 91
  streptokinase, 279, 286
  superoxide anion, 140
  superoxide dismutase, 241
  suppression, 163
  susceptibility, 150
  synovial cells, 145
  synthetic peptides, 111
  systemic lupus erythematosus, 127, 134, 140, 227, 267, 423
- T cell, 500 T cell epitope, 111 T cell proliferation, 371 T cell receptor, 17, 38, 201 T cell receptor  $\gamma/\delta$ , 91 T cell receptor subfamilies, 486 T cells, 4, 163, 297 T helper cell subsets, 168 T helper cell subsypes, 11 T lymphocyte, 38, 208

- TCR V $\beta$ , 201 terminal complement complex, 539 TGF- $\beta$ , 220 TNF, 273 TNF receptors, 354 TNF- $\alpha$ , 354 Th1/Th2, 122 transplantation, 306 trimethoprim-sulphamethoxazole, 21 tropical spastic paraparesis, 32 tuberculosis, 43, 51, 522 tuberculosis susceptibility, 322 tumour necrosis factor, 57, 105, 174, 261 tumour necrosis factor receptor, 51 tumour necrosis factor-alpha, 533 type II collagen-induced arthritis, 459 typhoid diagnosis, 317
- ulcerative colitis, 174, 348, 341 UVB radiation, 208
- vaccine, 507 variable gene usage, 473 vascular clearance, 447 vasculitis, 440 VCAM-1, 522 vitamin D, 412
- X chromosome-linked immune deficiency, 459

